Mary A. Gade, Director

2200 Churchill Road, Springfield, IL 62794-9276

217/524-3300

December 12, 1995

US EPA RECORDS CENTER REGION 5

Sherex Chemical Company, Inc.
(A Wholly Owned Subsidiary of Whitco Corp.)
Attn: Serin R. Rao, P.E.
Manager, Safety, Health and Environmental Affairs
U.S. Route 24, P.O. Box 9
Mapleton, Illinois 61547

Re: 1438050006 -- Peoria County
Sherex Chemical Company, Inc.

* ILD095792859
Log No. C-751 (PCB 91-202)
RCRA Closure

Dear Mr. Rao:

The closure plan submitted by yourself on behalf of Sherex Chemical Company has been reviewed by this Agency. Your final closure plan to close the two hazardous waste container storage units (S01) is hereby approved subject to the following conditions and modifications:

- 1. This approval is contingent upon Sherex's withdrawal and dismissal of its permit appeal before the Illinois Pollution Control Board (Docket Number PCB 91-202).
- 2. Closure activities must be completed by May 30, 1996. When closure is complete the owner or operator must submit to the Agency certification both by the owner or operator and by an independent registered professional engineer that the facility has been closed in accordance with the specifications in the approved closure plan. This certification must be received at this Agency within sixty (60) days after closure, or by July 31, 1995. These dates may be revised if Sherex finds that additional time is necessary to complete all required closure activities and demonstrates to the agency that it is attempting to complete closure in a timely manner.

The attached closure certification form must be used. Signatures must meet the requirements of 35 Ill. Adm. Code Section 702.126. The independent engineer should be present at all critical, major points (activities) during the closure. These might include soil sampling, soil removal, backfilling, final cover placement, etc. The frequency of inspections by the independent engineer must be sufficient to determine the adequacy of each critical activity. Financial assurance must be maintained for the units approved for closure herein until the Agency approves the facility's closure certification.

The Illinois Professional Engineering Act (Ill. Rev. Stat., Ch. 111, par. 5101 et. seq.) requires that any person who practices professional engineering in the State of Illinois or implies that he (she) is a professional engineer must be registered under the Illinois Professional Engineering Act (par. 5101, Sec. 1). Therefore, any certification or engineering services which are performed for a closure plan in the State of Illinois must be done by an Illinois P.E.

Plans and specifications, designs, drawings, reports, and other documents rendered as professional engineering services, and revisions of the above must be sealed and signed by a professional engineer in accordance with par. 5119, sec. 13.1 of the Illinois Professional Engineering Act.

- * As part of the closure certification, to document the closure activities at your facility, a Closure Documentation Report which must be submitted which includes the following:
 - a. The volume of waste, waste residue and contaminated soil (if any) removed. The term waste includes wastes resulting from decontamination activities.
 - b. Scaled drawings showing the horizontal and vertical boundaries of the extent of any soil removal effort.
 - c. A description of the method of waste handling and transport.
 - d. The waste manifest numbers.
 - e. Copies of the waste manifests.
 - f. Information documenting the results of all sampling/analysis efforts. The goal of presenting this information should be to describe, in a logical manner, the activities and results associated with the sampling/analysis effort. At a minimum, this information must include:
 - 1. identification of the reason for the sampling/analysis effort and the goals of the effort;
 - 2. a summary in tabular form of all analytical data, including all quality assurance/quality control data;
 - 3. a scaled drawing showing the horizontal location from which all soil samples were collected:

- 4. identification of the depth and vertical interval from which each sample was collected;
- 5. a description of the soil sampling procedures, sample preservation procedures and chain of custody procedures;
- 6. identification of the test method used and detection limits achieved, including sample preparation, sample dilution (if necessary) and analytical inferences;
- 7. copies of the final laboratory report sheets, including final sheets reporting all quality assurance/quality assurance dates;
- 8. visual classification of each soil sample in accordance with ASTM D-2488;
- 9. a summary of all procedures used for quality assurance/quality control, including the results of these procedures; and
- 10. a discussion of the data, as it relates to the overall goal of the sampling/analysis effort.
- g. Color photo documentation of closure. Document conditions before, during and after closure.
- h. A chronological summary of closure activities and the cost involved.

The original and two (2) copies of all certifications, logs, or reports which are required to be submitted to the Agency by the facility should be mailed to the following address:

Illinois Environmental Protection Agency Bureau of Land -- #33 Permit Section 2200 Churchill Road Post Office Box 19276 Springfield, Illinois 62794-9276

3. The concrete surfaces of the two container storage units shall be visually inspected, photographed and any residue adhering to the surface must be removed by scraping and/or brushing. Following this, the concrete surfaces must be steam cleaned and triple rinsed. All wash and rinse water shall be collected. If analysis of the wash or rinse water samples detect the presence of F002, F003, F005, U009, U103, constituents above the constituent's PQL identified in <u>Test Methods for Evaluating Solid Wastes</u>, Third Edition (SW-846), then that

material must be managed as a hazardous waste. If the wash or rinse water samples exhibit a characteristic of hazardous waste then that material must be managed as a hazardous waste. In any event the material must at least be managed as a special waste.

After cleaning the concrete surfaces, an independent registered professional engineer shall inspect the integrity of the concrete surfaces. These surfaces shall be inspected for cracks which penetrate through the concrete. In addition, all construction joints must be inspected to ensure they are watertight. This inspection must be carried out in accordance with standards and recommendations of professional/technical entities such as the American Concrete Institute, the Portland Cement Association the American Society for Testing and Materials, the American Society of Civil Engineers, etc. which relate to the ability of concrete structures to contain liquids. The results of this inspection shall be (1) submitted in the form of a report, (2) submitted to the agency by March 31, 1995, and (3) certified in * accordance with 35 Ill. Adm. Code 702.126 by the engineer. The reports must include (1) the results of the inspection, (2) scaled drawings showing the location of all cracks and construction joints observed during the investigation, (3) conclusions reached regarding any cracks or construction joints observed in the areas of concern, (4) justification for the conclusions reached (e.g., information must be provided which indicates that any construction joints in the areas of concern are indeed watertight), and (5) photographs to support the conclusions reached.

- 4. If joints, cracks or other defects are found in the concrete surfaces during the inspection required by Condition 2 above which would potentially allow hazardous waste or hazardous constituents to migrate through them, then soil samples <u>must</u> be collected from beneath them to determine if hazardous waste or hazardous constituents have been released to the underlying soil. This sampling/analysis effort shall be carried out in accordance to the below listed procedures.
 - a. Samples must be collected from at least one location along <u>each</u> joint or crack that provides a potential for hazardous waste or hazardous constituents to migrate to underlying soil. If the crack/joint is more than 15' long, then samples must be collected from along crack/joint at 15' intervals. Such locations shall be biased to stained areas or low-lying areas where spills would tend to accumulate.
 - b. The procedures used to collect and analyze all samples shall be carried out in accordance with the procedures approved by this letter.
 - c. Samples shall be collected from 0"-6" and from 18"-24" below the subgrade/natural soil interface.

- 5. The following procedure must be utilized in the collection of all required soil samples:
 - a. The procedures used to collect the soil samples must be sufficient so that all soil encountered is classified in accordance with ASTM Method D-2488.
 - b. If a drill rig or similar piece of equipment is necessary to collect required soil samples, then:
 - 1. the procedures specified in ASTM Method D-1586 (Split Spoon Sampling) or D-1587 (Shelby Tube Sampling) must be used in collecting the samples.
 - 2. Soil samples must be collected continuously at several locations to provide information regarding the shallow geology of the area where the investigation is being conducted;
 - c. Soil samples not collected explicitly for VOC analysis should be field-screened for the presence of VOCs.
 - d. All soil samples that will be analyzed for volatile organic compounds must be collected in accordance with Attachment 7 of the Agency's RCRA closure plan instructions;
 - e. All other soil samples must be collected in accordance with the procedures set forth in SW-846;
 - f. When visually discolored or contaminated material exists within an area to be sampled, horizontal placement of sampling locations shall be adjusted to include such visually discolored and/or contaminated areas. Sample size per interval shall be minimized to prevent dilution of any contamination.
- 6. Quality assurance/quality control procedures that meet the requirements of SW-846 must be implemented during all required sampling/analysis efforts.
- 7. All soil samples shall be analyzed individually (i.e., no compositing). Analytical procedures shall be conducted in accordance with <u>Test Methods for Evaluating Solid Wastes</u>, Third Edition (SW-846). When a SW-846 (Third Edition) analytical method is specified, all the chemicals listed in the Quantitation Limits Table for that method shall be reported unless specifically exempted in writing by the Agency. Apparent visually contaminated material within a sampling interval shall be included in the sample portion of the interval to be analyzed. To demonstrate a parameter is not present in a sample, analysis results must show a detection limit at least as low as the PQL for that parameter in the third edition of SW-846. For inorganic parameters, the detection limit must be at least as low as the RCRA Groundwater Detection Limits, as referenced in SW-846 (Third Edition) Volume 1A, pages

TWO-29 and TWO-30, Table 2-15. If possible, your sampling program should be extensive enough to determine the lateral and vertical extent of contamination to the detection limit (PQLs) referenced above. Each soil sample must be analyzed using the methods identified in Section III, Table 1 of the Approved Closure Plan.

- 8. If soil sampling is required under Condition 3, a report documenting the sampling/analysis results must be submitted to the Agency by March 31, 1995. This report must include:
 - a. identification of the reason for the sampling/analysis effort and the goals of the effort;
 - b. a summary in tabular form of all analytical data, including all quality assurance/quality control data;
 - * c. a scaled drawing showing the horizontal location from which all soil samples were collected;
 - d. identification of the depth and vertical interval from which each sample was collected;
 - e. a description of the soil sampling procedures, sample preservation procedures and chain of custody procedures;
 - f. identification of the test method used and detection limits achieved, including sample preparation, sample dilution (if necessary) and analytical inferences;
 - g. copies of the final laboratory report sheets, including final sheets reporting all quality assurance/quality assurance dates;
 - h. visual classification of each soil sample in accordance with ASTM D-2488;
 - i. a summary of all procedures used for quality assurance/quality control, including the results of these procedures; and
 - j. a discussion of the data, is it related to the overall goal of the sampling/analysis effort.
- 9. If soil sampling is required, the Agency will establish cleanup objectives to be used to determine if "clean" closure (closure by removal) has been achieved upon receipt and review of the sampling and analytical results required in Condition 8. The Agency will consider the results of the background soil sampling proposed in Section 3.2 of the approved closure plan in determining cleanup objectives. Note that the locations of background samples should be approved by the Agency prior to sampling.

- 10. The attached form entitled <u>RCRA Interim Status Closure and Post-Closure Care Plans</u>
 <u>General Form</u> (LPC-PA18) must be completed and accompany all information submitted to the Agency associated with the closure activities described in this letter. As noted on this form, two copies must accompany the original of all submittals, so that the information submitted can be distributed, as necessary to Agency personnel and regional offices.
- 11. All references to the "Agency's RCRA closure plan instructions" refer to the document entitled <u>Instructions for the Preparation of Closure Plans for Interim Status RCRA</u>
 Hazardous Waste Facilities, December 11, 1990.
- 12. If the Agency determines that implementation of this closure plan fails to satisfy the requirements of 35 Ill. Adm. Code, Section 725.211, the Agency reserves the right to amend the closure plan. Revisions of closure plans are subject to the appeal provisions of Section * 40 of the Illinois Environmental Protection Act.
- 13. If contamination is detected, the Agency must be notified in writing within fifteen (15) days. A revised closure plan addressing remediation of the contamination detected must be submitted within timeframes established by the Agency.
- 14. Under the provisions of 29 CFR 1910 (51 FR 15,654, December 19, 1986), cleanup operations must meet the applicable requirements of OSHA's Hazardous Waste Operations and Emergency Response standard. These requirements include hazard communication, medical surveillance, health and safety programs, air monitoring, decontamination and training. General site workers engaged in activities that expose or potentially expose them to hazardous substances must receive a minimum of 40 hours of safety and health training off site plus a minimum of three days of actual field experience under the direct supervision of a trained experienced supervisor. Managers and supervisors at the cleanup site must have at least an additional eight hours of specialized training on managing hazardous waste operations.
- 15. The Illinois Pollution Control Board recently finalized regulations establishing groundwater quality standards for the State of Illinois (see 35 IAC 620). As such, the Agency must ensure that the soil cleanup objectives established for this facility will not cause any future violations of these standards. Therefore, unless site specific information is submitted to the Agency to indicate otherwise, soil cleanup objectives for this site will be based upon the protection of Class I groundwater (potable resource groundwater). Guidance regarding the information which must be provided to the Agency for review and approval demonstrating that the soil cleanup objectives should be based upon the protection of Class II groundwater (general resource groundwater) may be obtained by contacting the Agency's Bureau of Land Permit Section at 217/524-3300.

- 16. 35 IAC 721.131 F001 through F005 wastes must be disposed in accordance with 35 IAC Part 728.
- 17. To avoid creating another regulated storage unit during closure, it is recommended that you obtain any necessary permits for waste disposal prior to initiating excavation activities. If it is necessary to store excavated hazardous waste on-site prior to off-site disposal, do so only in containers or tanks for less than ninety (90) days. Do not create regulated waste pile units by storing the excavated hazardous waste in piles. The ninety (90) day accumulation time exemption (35 IAC 722.134) only applies to containers and tanks.
- 18. Please be advised that the requirements of the Responsible Property Transfer Act (Public Act 85-1228) may apply to your facility due to the management of RCRA hazardous waste. In addition, please be advised that if you store or treat on-site generated hazardous waste in containers or tanks pursuant to 35 IAC 722.134, those units are subject to the closure requirements identified in 35 IAC 722.134(a)(1).
- 19. All hazardous wastes that result from this project are subject to annual reporting as required in 35 IAC 722.141 and shall be reported to the Agency by March 1 of the following year for wastes treated and left on-site or shipped off-site for storage, treatment and/or disposal during any calendar year. Additional information and appropriate report forms may be obtained from the Agency by contacting:

Facility Reporting Unit
Bureau of Land
Illinois Environmental Protection Agency
2200 Churchill Road
P.O. Box 19276
Springfield, Illinois 62794-9276

Should you have any questions regarding this matter, please contact Mark L. Crites at 217/524-3269.

Sincerely,

Edwin C. Bakowski, P.E. Manager, Permit Section

Bureau of Land

ECB:MLC:bjh\95451S.WPD

Attachments: 1) Closure Certification Statement

2) RCRA Interim Status Closure and Post-Closure Care Plans General Form

cc: USEPA Region V -- Hak Cho

ATTACHMENT

This statement is to be completed by both the responsible officer and by the registered professional engineer upon completion of closure. Submit one copy of the certification with original signatures and three additional copies.

Closure Certification Statement Closure Log C-751

The two hazardous waste container storage units (S01) at the facility described in this document have been closed in accordance with the specifications in the <u>approved</u> closure plan. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

The Owner/Operator hereby certifies that he has recorded the notation specified in 35 Ill. Adm. Code, Section 725.219(b)(1) as amended March 24, 1987.

USEPA ID Number		Facility Name		
Signature of Owner/Operator	Date	Name and Title		
Signature of Registered P.E.	Date	Name of Registered P.E. and Illinois Registration Number		
Mailing Address of P.E.:		Registered P.E.'s Seal:		
				

ECB:MLC:bjh\95451S.WPD

Witco Corporation, U.S. Rt. 24, P.O. Box 9, Mapleton, IL 61547 Telephone: 309-697-6220 Fax: 309-697-9493

JUN 1 4 1995

OFFICE OF RCRA

EPA REGION V.

May 31, 1995

Mr. Mark Crites Illinois Environmental Protection Agency Bureau of Land, Permit Section Hazardous Waste Branch Management 2200 Churchill Road Springfield, Illinois 62794-9276

Attn: Mark Crites

RE: Sherex Chemical Company, Inc.

(A wholly owned subsidiary of Witco Corp.) IEPA I.D. #1438050006 - Peoria County

USEPA I.D. #ILD095792859

Log #C-751

RCRA Closure File

Dear Mr. Crites:

This is to confirm our discussion on May 19, 1995 in regard to the Agency's May 18, 1995 letter.

You agreed that the information requested per Section 206 & 233 of the HSWA in the May 18, 1995 letter was already contained in the facility's RCRA Part B Permit Application submitted to the Agency. Therefore, the conclusion was that no further action is required on the facility's part since the Agency's request was complied in the previous submittals.

For you information, a copy of our letter dated April 30, 1995, is enclosed. This enclosed letter pertains to the closure plan submittal for the two (2) Hazardous Waste Storage Areas and about future submittal of Phase I Work Plan for the five (5) Solid Waste Management Units (SWMUs).

Should you have any questions, please contact me at 309/697-6220, Ext. 322.

Sincerely

&erin R. Rao, P

Manager

Safety, Health, and Environmental Affairs

SRR:ksw g:I-rcrac751



CC:

George Harper USEPA - Region V



Certificate OSR-218



Witco

Witco Corporation, U.S. Rt. 24, P.O. Box 9, Mapleton, IL 61547 Telephone: 309-697-6220 Fax: 309-697-9493

April 28, 1995

Certified Mail

Mr. Harry A. Chappel, P.E. Hazardous Waste Branch Manager Permit Section, Bureau of Land Illinois Environmental Protection Agency 2200 Churchill Road Springfield, IL 62794-9276

RE: 143805006 - Peoria County
Sherex Chemical Co., Inc.
(A wholly owned subsidiary of Witco Corp.)
ILD095792859
RCRA - Permit/Closure Plan
Log No. B-111

Dear Mr. Chappel:

Enclosed please find four (4) copies of Closure Plan for the two (2) Hazardous Waste Units located at our Mapleton facility for your review and approval.

In addition, we would like to request an additional ninety (90) days for the submittal of a RCRA Facility Investigation Phase I Workplan for the five (5) SWMUs. We have completed the selection of a consulting firm to prepare the plan. The plan will be submitted to the Agency by no later than July 31, 1995.

Meanwhile, should you have any questions, please contact me at 309/697-6220, Ext. 322.

Sincerely,

___ນິນ Serin R. Rao, P.E.

Manager

Safety, Health, and Environmental Affairs

S

SRR:ksw g:closure

Enclosures









217/782-6761

April 22, 1992

Sherex Chemical Co. Attn: Serin Rao Route 24, P.O. Box 9 Mapleton, IL 61547

1438050006 -- Peoria County Refer to:

Sherex Chemical Company

Closure Plan Approved: January 28, 1991

Closure Log #: C-572

ILD095792859 CERTIFIED #:

RCRA CLOSURE

Dear Mr. Rao:

Certification that the hazardous waste container storage area (old drum storage area #1) had been closed in accordance with the approved closure plan by the owner/operator, Sherex Chemical Co., and an independent registered professional engineer, Mark Zimmerman, of Illinois was received at this Agency February 3, 1992.

The Agency has determined that the closure of the hazardous waste container storage area (old drum storage area #1) has apparently met the requirements of Interim Status Standards, 35 Ill. Admin. Code, Part 725 (40 CFR, Part 265).

This facility must continue to meet the requirements of a generator of hazardous waste under 35 Ill. Adm. Code Part 722 and a hazardous waste container storage facility under 35 Ill. Adm. Code Parts 703 and 725.

If you have any questions, please contact James Jones at 309/693-5462.

Sincerely,

Hen D. Sorage

Glenn D. Savage, Manager Field Operations Section Division of Land Pollution Control Bureau of Land

GDS:JJJ:sjd

cc: USEPA Region V, George Hamper USEPA Region V, Loraine Kosak USEPA Region V, Jane Ratcliffe

Mark Zimmerman, P.E.





Illinois Environmental Protection Agency P. O. Box 19276. Springfield, IL 62794-9276

217/782-6762

Log No. C-572

Received: January 4, 1991

Refer to: LPC# 1438050006 -- Peoria County

Sherex Chemical Company

ILD095792859 RCRA-Closure

January 28, 1991

Sherex Chemical Company Attn: Serin R. Rao, P.E., Manager Environmental Engineering Post Office Box 9 Mapleton, Illinois 61547

Dear Mr. Rao:

The closure plan submitted by you and prepared by Regulatory Compliance Professionals, Inc. has been reviewed by this Agency. Your partial closure plan to close the hazardous waste container (SOI) storage area is hereby approved subject to the following conditions and modifications.

Closure activities must be completed by September 1, 1991. When closure is complete the owner or operator must submit to the Agency certification both by the owner or operator and by an independent registered professional engineer that the facility has been closed in accordance with the specifications in the approved closure plan. This certification must be received at this Agency within sixty (60) days after closure, or by November 1, 1991.

The attached closure certification form must be used. Signatures must meet the requirements of 35 III. Adm. Code Section 702.126. The independent engineer should be present at all critical, major points (activities) during the closure. These might include soil sampling, soil removal, backfilling, final cover placement, etc. The frequency of inspections by the independent engineer must be sufficient to determine the adequacy of each critical activity. Financial assurance must be maintained for the units approved for closure herein until the Agency approves the facility's closure certification.

The Illinois Professional Engineering Act (Ill. Rev. Stat., Ch. 111, par. 5101 et. seq.) requires that any person who practices professional engineering in the State of Illinois or implies that he (she) is a professional engineer must be registered under the Illinois Professional Engineering Act (par. 5101, Sec. 1). Therefore, any certification or engineering services which are performed for a closure plan in the State of Illinois must be done by an Illinois P.E.



Page 2

Plans and specifications, designs, drawings, reports, and other documents rendered as professional engineering services, and revisions of the above must be sealed and signed by a professional engineer in accordance with par. 5119, sec. 13.1 of the Illinois Professional Engineering Act.

As part of the closure certification, to document the closure activities at your facility, please submit a Closure Documentation Report which includes:

- The volume of waste and waste residue removed. The term waste a. includes wastes resulting from decontamination activities.
- b. A description of the method of waste handling and transport.
- The waste manifest numbers. C.
- d. Copies of the waste manifests.
- A description of the sampling and analytical methods used including e. sample preservation methods and chain-of-custody information.
- f. A chronological summary of closure activities and the cost involved.
- Color photo documentation of closure. Document conditions before, α. during and after closure.
- h. Tests performed, methods and results.

The original and two (2) copies of all certifications, logs, or reports which are required to be submitted to the Agency by the facility should be mailed to the following address:

Illinois Environmental Protection Agency Division of Land Pollution Control -- #24 Permit Section 2200 Churchill Road Post Office Box 19276 Springfield, Illinois 62794-9276

- This facility must continue to meet the applicable requirements of 35 IAC - Subtitle G for those units identified on the Part A application and in the Part B application not approved for closure herein.
- 3. The approval of this partial closure plan does not relieve Sherex Chemical Company of the responsibility of providing financial assurance for the remainder of the facility which is subject to closure, in accordance with 35 IAC Part 725 Subpart H.



Page 3

- In accordance with 35 III. Adm. Code Sections 703.152 and 703.155, closure of your SO1 unit requires modification of your Part A application. Please complete this form and submit it with your closure certification.
- If the Agency determines that implementation of this closure plan fails to satisfy the requirements of 35 Ill. Adm. Code, Section 725.211, the Agency reserves the right to amend the closure plan. Revisions of closure plans are subject to the appeal provisions of Section 40 of the Illinois Environmental Protection Act.
- A revised cost estimate and financial assurance instruments should be submitted with the closure certification documents.
- Under the provisions of 29 CFR 1910 (51 FR 15,654, December 19, 1986), cleanup operations must meet the applicable requirements of OSHA's Hazardous Waste Operations and Emergency Response standard. These requirements include hazard communication, medical surveillance, health and safety programs, air monitoring, decontamination and training. General site workers engaged in activities that expose or potentially expose them to hazardous substances must receive a minimum of 40 hours of safety and health training off site plus a minimum of three days of actual field experience under the direct supervision of a trained experienced supervisor. Managers and supervisors at the cleanup site must have at least an additional eight hours of specialized training on managing hazardous waste operations.
- The concrete surfaces shall be visually inspected, photographed and any residue adhering to the surface must be removed by scraping and/or brushing. Following this, the concrete surfaces must be steam cleaned and triple rinsed. All wash and rinse water shall be collected. If the wash or rinse water samples exhibit a characteristic of hazardous waste then that material must be managed as a hazardous waste. In any event the material must be managed as a special waste. If, after cleaning the concrete surfaces, any cracks, joints or other defects are found that would allow waste to migrate through the concrete into the underlying soil, a closure plan modification request addressing soil sampling at those locations must be submitted to this Agency within sixty (60) days of such a finding.
- To avoid creating another regulated storage unit during closure, obtain any necessary permits for waste disposal prior to initiating excavation activities. If it is necessary to store excavated



Page 4

hazardous waste on-site prior to off-site disposal, do so only in containers or tanks for less than ninety (90) days. Do not create regulated waste pile units by storing the excavated hazardous waste in piles. The ninety (90) day accumulation time exemption (35 IAC 722.134) only applies to containers and tanks.

- 10. Please be advised that the requirements of the Responsible Property Transfer Act (Public Act 85-1228) may apply to your facility due to the management of RCRA hazardous waste. In addition, please be advised that if you store or treat on-site generated hazardous waste in containers or tanks pursuant to 35 IAC 722.134, those units are subject to the closure requirements identified in 35 IAC 722.134(a)(1).
- 11. All hazardous wastes that result from this project are subject to annual reporting as required in 35 IAC 722.141 and shall be reported to the Agency by March 1 of the following year for wastes treated and left on-site or shipped off-site for storage, treatment and/or disposal during any calendar year. Additional information and appropriate report forms may be obtained from the Agency by contacting:

Facility Reporting Unit Division of Land Pollution Control Illinois Environmental Protection Agency P.O. Box 19276 Springfield, Illinois 62794-9276

Should you have any questions regarding this matter, please contact Charlie Zeal at 217/782-6762.

Very truly yours,

Lawrence W. Eastep, P.E., Manager

Permit Section

Division of Land Pollution Control

LWE: GTR: sap/0204q, 82-85

Attachment

cc: Peoria Region Division File - RCRA Closure USEPA Region V -- George Hamper Division of Legal Counsel G. Tod Rowe RPMS JIM JANSSEN GARY KING



ATTACHMENT

This statement is to be completed by both the responsible officer and by the registered professional engineer upon completion of closure. Submit one copy of the certification with original signatures and three additional copies.

Closure Certification Statement

Closure Log C-572

The hazardous waste management SOI unit at the facility described in this document has been closed in accordance with the specifications in the approved closure plan. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

USEPA ID Number	Facility Name
Signature of Owner/Operator	Name and Title
Signature of Registered P.E.	Name of Registered P.E. and Illinois Registration Number
Date	
LWE: GTR: san / 0204g. 86	

LOCATION : MAPLETON JSURE LOG # : 572 COUNTY : PEDRIA FACILITY : SHEREX CHEMICAL REVIEWER : GTR STATE ID # : 1438050006 MOTIFY FOS : Y FED ID # : ILD095792859 STATUS : P NOTIFY CMS : Y PN : TYPE : F NOTIFY RPMS : Y INSF : ist-RECD : 91/01/04 Znd-SCHED : 90-DUE : 91/04/04 Znd−RECD : i-MAILED : 91/01/28 60-DUE : APP or REJ : APP Z-MAILED : CERTIFICATION DUE : 91/11/01 CERTIFICATION RECD : CLUSED : CLEAN CLOSURE : Y UNITS CLOSED: 501 CIL SENT : UNITS REMAIN : 501*501* PECL SENT : 5 DR T STATUS: COMMENTS : 2(SO2) UNITS ARE INCLUDED IN PART B LOG NO. 111.

CONTAM SOIL-Y/N/7: 7 ABOVE PQL-Y/N/7: 7 ABOVE CUO-Y/N/7: 7 CONTAM-VO/SVO/M/7: 7 CONTAM-VO/SVO/M/7: 7 ABOVE CUO-Y/N/7: 7 ABOVE CUO-Y/N/7: 7 CONTAM-VO/SVO/M/7: 7

BEDIATION-PROP/IN PROG/COMPLETE/NA: NA VOLUME: UNIT-T/CY:

SOIL VENT-Y/N: AERATE-Y/N/ON/OFF: STABILIZE-Y/N/ON/OFF: CAP IN PLACE-Y/N: BIOREM-Y/N: INCIN-Y/N/ON/OFF: LANDFILL-Y/N/ON/OFF: TREATMENT-Y/N/ON/OFF: PUMP & TREAT GW-Y/N:

PROCESS 1: SC	D1 AMOUNT 1: 550	O UNITI: 6	ADD/DEL: DEL
PROCESS 2:	AMOUNT 2:	UNITZ:	ADD/DEL:
FRUCESS 3:	AMOUNT 3:	UNITS:	ADD/DEL:
PROCESS 4:	AMOUNT 4:	UNIT4:	ADD/DEL:
FROCESS 5:	AMOUNT 5:	UNITO:	ADD/DEL:
PROCESS 6:	AMOUNT 6:	UNITÓ:	ADD/DEL:

CLOSURE PLAN REVIEW NOTES AND CHECKLIST SECTION A: REVIEW NOTES (attach notes or references as necessary)

Location (County, Municipality, Township, Range, Section): Provia, Mapleton, State ID: LPC#1438050006 U.S. EPA ID: ILD 095792 Docted June 1988 1st Submittal: Received In 4,199 Reviewer: GT Rowe Mailed:	
	0-0
1st Submittal: Dated June 1988 1st Submittal: A THURGRAVIANOR: GTRAVE Mailed:	
13t Submittal. Recieved Jan Till New York.	·····
2nd Submittal: Reviewer: Mailed:	
Regulated Units at the Facility and Their Capacities	
Approved Closure Units Unit Part A HWDMS Plan Closing	Units Remaining Open
501 V V Yes	*
* Sherex has two (SOI) onits in a Porth	bunder
Partial Closure or Final (ful	
Proposed "Clean" Closure or "Dirty" Cl	osure
Status of Facility after Closure: As before clasure	
Are any new treatment processes proposed to minimize or render nonhaz hazardous waste? No Explain:	

s the facility requesting addi	tional time to start or complete closure than
llowed? NO Explain	n:
Size or area of each unit closi	ng: 5'x 4z'
[dentify wastes managed in each	unit (include hazardous waste codes):
Ethanol and Isopra	peyl alcohol DOO1
	r located in, units at the facility:
	no volume from Part A
5500 gallons maxi	
5500 gallons maxi	nun volume from Part A Satisfactory?
Sampling grid spacing Total number of samples from un	nun volume from Part A Satisfactory?
Sampling grid spacing Total number of samples from undere background samples taken from	nun volone from Part A Satisfactory?
Sampling grid spacing Total number of samples from unlikere background samples taken frotal number of background samp	Satisfactory? it = rom proper soil horizon? les (minimum of 10 per strata) =
Sampling grid spacing Total number of samples from undere background samples taken from	Satisfactory? it = rom proper soil horizon? les (minimum of 10 per strata) = (date)

3-2

>Not considered at this time, will be needed it concrete pad is fund to love crades or joints.

CROPA memo dated
Identify soil and/or groundwater clean-up levels. (Give basis, i.e., closure plan, COT/CROPA recommendation, PQL, etc.)
N/A
Is the portion of the sample to be tested appropriate? MA
Approximate volume of waste to be removed: MA (yds. or gallons)
Approximate volume of underlying and surrounding soil and liner to be removed: ν / A
How is site to be capped or otherwise restored? Plan to steam clean and rinse pad (concrete)
Are there any non-RCRA Solid Waste Management Units? Yes Explain: See Part B Log No. 111
Have there been any releases from the SWMUs?
Explain: <u>See Part B Log No. 111</u>
How is the groundwater to be addressed for the closing unit? N°
Is groundwater monitored? NO
Is groundwater contaminated? Ophrown
What is the facility's Subpart F compliance status? NonE

If the facility is in assessment, will th	e assessment be completed prior to						
final closure? NA							
Is additional groundwater monitoring warranted in closure plan? <u>W/A</u>							
Explain:							
Is groundwater monitoring warranted after	closure? <u>N/A</u> Explain:						
· · · · · · · · · · · · · · · · · · ·							
							
Is the facility being referred to USEPA f	for corrective action? NO						
If so, indicate the type of enforcement:	3013 Order						
	3008(h) Order						
	3005(c) Action						
Final Action: Approve, Disapp	prove, Modify						
Schedule for closure: Date of Plan Appro	oval:						
Start closure:							
Complete closure:							
Certification due	to IEPA:						


SECTION B: CLOSURE PLAN CHECKLIST

LEGEND

PR:	Pro	ovid	ed	
AD:	Ade	equa	te	Note: Respond to questions with Y for yes and N for no
NA:	No:	t Ap	olicat	
1.		crip (b)		of hazardous waste operation and proposed closure (725.212(a)
PR	AD	NA		
	$\frac{X}{X}$		a. b.	description provided of hazardous waste operations description provided for all hazardous waste units at the facility
	$\frac{X}{X}$		c. d. e.	<pre>identification of units closing identification of units remaining open maximum inventory of wastes at any time during life of facility (should correspond to Part A volumes)</pre>
$\overline{\chi}$	X		f.	description of steps to be taken for decontamination of facility equipment (725.212(b)(4))
X	λ		g.	expected year of closure for all units at the facility (725.212(b)(1))
			h. i.	schedule of closure for all units (725.212(b)(6) and (b)(7)) plan submitted 180 days prior to initiation of closure (725.212(d)(1))
X	X	_	j.	all hazardous wastes and hazardous constituents properly identified
NO			k.	groundwater/surface water use in the area identified
2.			Involv	/ement (725.212(d)(4))
<u>X</u> 	√ <u>0</u> —	- <u>X</u> <u>X</u>		newspaper notice posted public hearing requested? public hearing granted? notice of public hearing 30 days prior to hearing
3.	C10	sure	time	limits (725.213)
	X		a.	90-day limit for treatment, removal or disposal of hazardous wastes
<u>×</u> _	<u>X</u> =	*	b. c. d.	180-day limit for completion of closure activities extension of time limits justification provided for extension of time limits?

4.	Disposal or	decontamination of equipment (725.214)
PR	AD NA	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	$\begin{array}{cccc} \frac{X}{X} & - & a \\ \frac{X}{X} & - & b \\ \frac{X}{X} & - & c \\ \frac{X}{X} & - & d \\ \frac{X}{X} & - & e \end{array}$	proper disposal of facility equipment and structures, or decontamination — removal of all hazardous wastes and residues decontamination of equipment used for cleanup decontamination method RCRA wastes and residues to be handled and disposed as hazardous waste
5.	Certification	on of closure (725.215, 725.216 and 725.219)
X	<u>x</u> _ a.	provision for certification by owner or operator within 60 days following closure
×	<u>X</u> _ b.	provision for certification by independent registered Professional Engineer that facility was closed in accordance with the approved closure plan
<u> </u>	<u>X</u> _ c.	provision for Closure Documentation Report to document closure activities
	$ \stackrel{\mathcal{X}}{\mathcal{L}}$ d.	survey plat and notification in deed to Agency and appropriate local government office
_	_ <u>X</u> e.	certification to Agency that notification in deed has been made (725.219(b)(2))
6.	Post-Closur	e Care Plan required? (725.217)
_	_ <u>X</u>	Disposal units closing after 1/26/83 are required to obtain a Post-Closure Permit. Advise facility that a PCC Plan will be called in at a later date.
7.	Closure of	container storage area (SOI).
	$-\overset{\chi}{\underset{b.}{\overset{a.}{\nearrow}}}$	soil sampling plan grid spacing adjacent areas to be sampled for spills and/or windblown particulates soil analysis plan
	$-\frac{x}{x}$	includes all hazardous constituents detection limits
	$\begin{array}{ccc} & \xrightarrow{X} \\ & \xrightarrow{X} \\ & \xrightarrow{X} \\ & \xrightarrow{X} \end{array}$	sampling increments and total depth of sampling sample handling and analysis (40 CFR 261, App. III; SW-846; Attachment 7 of this document)
\overline{X}	$\begin{array}{cccc} X & c. \\ \hline X & Z & e. \\ \hline X & - & g. \\ \hline X & - & h. \end{array}$	removal of contaminated soil cleanup standard post-closure care in lieu of clean closure decontamination of facility decontamination of equipment disposal of cleaning waste and residue

7	<u>X</u>	<u>デ</u>	_	i. j.	scale drawing of storage area surface description (asphalt, concrete, aggregate, soil)
		X	_ 	Κ.	surface description (asphalt, concrete, aggregate, soil) structural integrity and containment devices (cracks, joints, deterioration, curbs, roof) style confired by P.E.
	3.	Clo	sure	of	tank storage or treatment units (SO2, TO1 725.297)
_	_^\	<u>//</u> .	4_	a.	scale drawing of storage area, including secondary containment structures, sumps and drainage pathways
-	_	-	_	b.	description of materials used to construct tanks, ancillary equipment and secondary containment structures
	_	-		С.	present condition of tanks, ancillary equipment and secondary containment structures (i.e., structural integrity and
				d.	<pre>surface condition) removal of all hazardous wastes and residues from: tanks</pre>
-	_		_		pipes and discharge control equipment discharge confinement structures
-	_			e.	decontamination of equipment
				f.	soil testing beneath and around tank, including secondary containment areas, to verify that no spills or leaks have
					occurred includes all hazardous constituents
	_	F	_		detection limits
		F	_		sampling increments and total depth of sampling sample handling and analysis (40 CFR 261, App. III; SW-846; Attachment 7 of this document)
		+		g.	cleanup standard
-	—	+	_	h. i.	removal of contaminated soil removal of tank (required by State Fire Marshall for
	_	†	_	•	underground tanks which contained flammable materials)
9	9.	dio	sure	and	d post-closure for <u>surface impoundments</u> (SO4, D83, TO2 - 725.328)
	_	4	_	a. b.	removal of standing liquids removal of wastes and waste residues
•	_	コ		c.	removal of liner
-		-1	_	d.	removal of underlying and surrounding contaminated soil cleanup standard
•		-	_	e. f.	management of removed material as hazardous waste unless
-			_		determined to be nonhazardous under 721.103(c)
			 	g	post-closure care in lieu of material removal (725.328(c)) (40 CFR 265.228(a)(2), March 19, 1987)
_		_		h.	dewatering, stabilization or other treatment of remaining
•		1		•	wastes to provide cover support and/or render waste
		1	Χ	i.	nonhazardous (40 CFR 265.228(a)(2), March 19, 1987) request for modification of Part A to include TO2 if
•		ريد		• •	stabilization or treatment is proposed



plans (725.380(b)) PR AD NA type and amount of hazardous wastes and Appendix H hazardous constituents which are contained in the waste b. mobility of hazardous wastes and constituents site location, topography and surrounding land use and the С. related potential effects of pollutant migration climate (net precipitation) d. soil profile and soil properties e. f. geologic profile surface and subsurface hydrology g. unsaturated zone monitoring information (725.378) h. type, concentration and depth of hazardous waste migration i. removal of contaminated soils j. cleanup standards k. 1. function of final cover engineering characteristics of final cover m. groundwater monitoring n. 13. Requirements during land treatment closure period (725.380(d)) unsaturated zone monitoring a. b. maintain run-on control system (725.372(b)) maintain run-off control system (725.372(c)) С. control wind dispersal of particulates d. Certification by qualified soil scientist in lieu of a registered Professional Engineer for closure of land treatment units (725.380(e)) Closure of incinerators (TO3) removal of all hazardous wastes and hazardous waste residues, a. including ash, scrubber waters and scrubber sludges management of residues as hazardous wastes unless determined b. to be nonhazardous according to 721.103(c) & (d) 16. Closure of thermal treatment units (725.481) a. removal of hazardous waste and hazardous waste residues, including ash management of residues as hazardous waste unless determined b. to be nonhazardous according to 725.103(c) & (d) 17. Closure of chemical, physical and biological treatment units (725.504) removal of all hazardous wastes and hazardous waste residues from treatment process or equipment, discharge control equipment and discharge confinement structures

12. Considerations to be addressed in land treatment closure and post-closure

PK	AU	*		
<u> </u>	f'	+	b.	management of residues as a hazardous waste unless determined to be nonhazardous according to 721.103(c) & (d)
ALL	p15	POSA	L UNI	TS
18.	dbj	ecti	ve of	closure and post-closure plans (725.410(b))
	++++	- -	a. b. c.	control of pollutant migration from facility via groundwater, surface water and air control of ponding and surface water infiltration erosion, run-on and run-off control
19.	Cor	side	ratio	ns for achievement of closure objectives (725.410(c))
	+		a.	type and amount of hazardous wastes and Appendix H hazardous constituents which are contained in the waste mobility and the expected rate of migration of pollutants
_	†	_	b. C.	site location, topography and surrounding land use and the related potential effects of pollutant migration (proximity to groundwater, surface water and drinking water)
	4		d.	climate, including total amount, net amount, frequency and pH of rainfall
	-	_	е.	engineering characteristics of cover, including material, final surface contours, thickness, porosity, slope and length of run of slope
-		-	f. g. h.	geological and soil profiles surface and subsurface hydrology soil balance analysis if on-site soils are to be used for
20.	Co	er d	esign	(725.410(a))
_		_	a. b.	grain size analysis and grain size requirements soil classification USDA textural and Unified Soil Classification
-	4		С.	compaction requirements should be 90-95% of ASTM D698 (Standard Proctor) density, compacted at a moisture content 3-5% above optimum moisture content
<u>-</u>		_	d. e. f.	type of vegetation proposed hydraulic conductivity slope stability analysis
_ _ _			g. h. i.	synthetic membrane specifications depth of frost penetration and its effect on the cover system erosion control
<u>-</u>	<u>-</u>	 - -	j. k. /1.	gas collection system water balance analysis to estimate infiltration settlement/subsidence effects considered

			·
PR	AD NA		
~	1/+	a.	equipment requirements sheepsfoot roller, disk and water truck or other provisions for moisture control
_	<u></u>	b. c.	lift thickness should be 8 inches (loose thickness) or less construction QA/QC number of compaction tests, hydraulic
_	+ -	d.	conductivity tests, grain size tests, etc. hydraulic conductivity testing conducted in accordance with IEPA guidance
22.	Notice	to lo	cal land authority (725.216 and 725.219)
_	+ -	a.	survey plat submitted to the Agency and to County Recorder with closure certification
_	+ -	b.	note on plat which states owner's and operator's obligation to restrict disturbance of the site per 725.217(c)
_	-	С.	record provided of type, location and quantity of hazardous waste disposed of within each cell or area of the facility, including wastes disposed prior to January 12, 1981 (725.219(a))
2.2	L		
23.	Notice	in de	ed to property (725.219)
_		a.	recorded on deed or other instrument which will be examined during a title search that the land has been used to manage hazardous waste
_		b.	copy of this instrument and a certification from the owner/operator that it has been properly recorded
24.			requirements activities and frequencies (725.217(a); 725.410(d))
-	 	a. b. c.	integrity of final cover or containment structures- leachate collection, removal and treatment systems groundwater monitoring system
	<u> </u>	d. e. f.	gas collection and control system (if provided) benchmarks name, address and phone number for post-closure care contact person (725.218(c)(3))
25	Securit	: y	
F	7/=	a. b.	restricted access, if necessary security provided, if necessary (725.217(b))
			•

21. Construction procedures for cover (725.410(a))

26.	Grou	undwa	ater :	monitoring (725.217(a)(1); 725.218(a)(1); 725.191 to 725.193)								
PR	AD	NA										
	_ 	<u>X</u> × X	а. b. c.	description of groundwater monitoring system, activities and frequencies for post-closure period (725.191; 725.218(a)(1)) sampling and analysis plan (725.192) outline of groundwater quality assessment program (725.193)								
ALL	. FACILITIES											
27.	C10:	sure	perf	ormance standard (725.211)								
X X X	X X X		a. b. c.	minimizes further maintenance protects human health and environment addresses all hazardous constituents (Part 721, Appendix H)								
28.	Training requirements for cleanup activities											
X	<u>×</u>	_	a.	provisions made to ensure that site workers will receive training in accordance with 29 CFR, Part 1910								
29.	Par	Part A Status										
	_	_ _ _ _		Part A and HWDMS reviewed discrepancies between units and design capacities in Part A, HWDMS and closure plan resolved for complete closure all units closed or withdrawn revised Part A or withdrawal request to be submitted with closure certification								
		J sta										
<u>/_</u>	_	_	a. b.	initial screening completed initial screening previously submitted								
_	_	_	С.	environmentally significant information found during file search								
_	_	_	d e.	Certification of Continuing Releases received from facility units identified by facility consistent with those found during file search								
<u>-</u> -		<u>-</u>	f. g. h. i.	releases indicated on certification releases to be cleaned up under closure releases to be referred to US EPA for action SWMU's not previously identified discovered during closure?								
<u>ー</u>	Se	e f	2n+	B Los No. 111 For Details.								

Facility No.: ILD095792859 Public Notice: 91005

NOTICE OF CLOSURE CLOSURE NO. 572

January 7, 1991

Date:

A plan to close the Sherex Chemical Company, Inc. hazardous waste drum storage area located Mapleton, Illinois, has been submitted to the Illinois Environmental Protection Agency (IEPA) pursuant to Subpart G of 35 Ill. Adm. Code 725. The facility is a producer of fatty acid derivatives and metal organic compounds. The drum storage area had been used in the past to store off-spec material prior to off-site disposal. This waste exhibited the characteristic of ignitibility. Sherex plans to close this area since it is no longer used for the storage of hazardous waste. The facility will remain open following closure.

At this time the IEPA is also requesting that the facility provide information concerning any prior release of hazardous waste constituents from any solid waste management facility on the site.

Interested persons are invited to submit written comments on the plan or request modifications of the plan or provide information on the release, at any time, of hazardous waste constituents from the facility, within 30 days of the first publication date of this notice. Written comments must be addressed to the IEPA, Government & Community Affairs, Attn: Heather Nash, 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276.

The site must be closed in accordance with the standards set forth in the Environmental Protection Act, Ill. Rev. Stat., Ch. 111 1/2, Pars. 1001 et seq., and regulations adopted thereunder.

The proposed closure plan, closure performance requirements, and other documents are available for inspection and may be copied at the IEPA's Springfield headquarters. There is no charge for the first 400 pages copied. There is a 25 cents charge for each page copied over 400.

An appointment to inspect the proposed closure plan must be made in advance by contacting the Division of Land Pollution Control, Freedom of Information Act (FOIA) coordinator at 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276, 217/782-6760. Please refer to the closure number under the heading at the top of this advertisement when contacting the FOIA coordinator.

In response to requests or at the discretion of the IEPA, a public hearing may be held to clarify one or more issues concerning the closure plan. Public notice will be issued 30 days before any public hearing.

HN:rmi/44q/16-17

C.572

SHEREX

December 28, 1990

Mr. Lawrence W. Eastep, P.E. Manager Permit Section Division of Land Pollution Control Illinois Environmental Protection Agency 2200 Churchill Road P.O. Box 19276 Springfield, IL 62794-9276

Certified Mail

Sherex Chemical Company, Inc.

P.O. Box 9 U.S. Route 24 Mapleton, IL 61547 Telephone: (309) 697-6220 Telefax: (309) 697-9493

RE: LPC #1438050006 - Peoria Co.

Sherex Chemical Co., Inc.

ILD095792859

RCRA Permit Log #111

Dear Mr. Eastep:

Pursuant to agency's September 14, 1990, Notice of Deficiency (NOD) and Sherex's November 5, 1990 response, enclosed please find four (4) copies of the Closure Plan for the Old Storage Area #1.

Should you have any questions, please contact me at 309/697-6220, Ext. 322.

Sincerely,

Serin R. Rao, P.E.

Manager, Environmental Engineering

SRR: ksw

a:ltr-eastep

Enclosures (6)

RECEIVED

JAN 4 1991

IEPA-DLPC

MEMORANDUM

DATE:

February 26, 1991

148050006/Peoria

T0:

LPC File

Sherex Chemical Co., Inc.

ILD095792859 RCRA Closure

FROM:

Heather Nash

SUBJECT:

RCRA Closure

Notice of Closure

Notice of closure for the Sherex Chemical Company Inc. drum storage area, located in Mapleton, Illinois, first appeared January 17, 1991 in the Pekin Daily Times. The public comment period ended February 19, 1991.

Maria Walker, a reporter with the <u>Pekin Daily Times</u>, called on February 1, 1991 with questions regarding the <u>Closure</u>. She was referred to the appropriate permit reviewer.

HN:kkw/0517q,47

Facility No.: ILD095792859 Public Notice: 91005

Date: January 7, 1991

NOTICE OF CLOSURE CLOSURE NO. 572

A plan to close the Sherex Chemical Company, Inc. hazardous waste drum storage area located Mapleton, Illinois, has been submitted to the Illinois Environmental Protection Agency (IEPA) pursuant to Subpart G of 35 Ill. Adm. Code 725. The facility is a producer of fatty acid derivatives and metal organic compounds. The drum storage area had been used in the past to store off-spec material prior to off-site disposal. This waste exhibited the characteristic of ignitibility. Sherex plans to close this area since it is no longer used for the storage of hazardous waste. The facility will remain open following closure.

At this time the IEPA is also requesting that the facility provide information concerning any prior release of hazardous waste constituents from any solid waste management facility on the site.

Interested persons are invited to submit written comments on the plan or request modifications of the plan or provide information on the release, at any time, of hazardous waste constituents from the facility, within 30 days of the first publication date of this notice. Written comments must be addressed to the IEPA, Government & Community Affairs, Attn: Heather Nash, 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276.

The site must be closed in accordance with the standards set forth in the Environmental Protection Act, III. Rev. Stat., Ch. 111 1/2, Pars. 1001 et seq., and regulations adopted thereunder.

The proposed closure plan, closure performance requirements, and other documents are available for inspection and may be copied at the IEPA's Springfield headquarters. There is no charge for the first 400 pages copied. There is a 25 cents charge for each page copied over 400.

An appointment to inspect the proposed closure plan must be made in advance by contacting the Division of Land Pollution Control, Freedom of Information Act (FOIA) coordinator at 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276, 217/782-6760. Please refer to the closure number under the heading at the top of this advertisement when contacting the FOIA coordinator.

In response to requests or at the discretion of the IEPA, a public hearing may be held to clarify one or more issues concerning the closure plan. Public notice will be issued 30 days before any public hearing.

HN:rmi/44q/16-17

C 572 P 367_388 019 RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED

NOT FOR INTERNATIONAL MAIL

LAST BENEFICED. State and ZIP Code Certified Fee Special Delivery Fee Restricted Delivery Fee Return Receipt showing to whom and Date Delivered 90 Return Receipt showing to bom Date, and Address of Delivery June TOTAL Postage and Fees 5 2 2 3 Postmark or Date

PS Form 3800,



217/782-6762

Refer to: 1438050006 -- Peoria County

Sherex Chemical Co.

Closure Plan Approved: January 28, 1991

Closure Log # C-572

ILD095792858

RCRA CLOSURE Certified No.:

December 26, 1991

Sherex Chemical Co. Attn: Serin Rao P.O. Box 9 Mapleton, IL 61547

Dear Mr. Rao:

This letter will acknowledge receipt of the closure certification dated September 19, 1991, and received by the Agency on October 1, 1991.

According to 35 Ill. Adm. Code, Section 725.215, certification of closure is to be provided in accordance with specifications in the approved closure plan. The approved closure plan for this facility consists of the plan which was submitted by Sherex Chemical Co. and prepared by Regulatory Compliance Professionals, Inc. dated January 4, 1991, and the conditions of the January 28, 1991, letter from Lawrence W. Eastep, P.E.

The Agency has determined that the closure of this hazardous waste container storage area was not conducted in accordance with the approved closure plan and is hereby disapproved for the following reasons:

- 1. An amended Part A application was not included with the closure certification document as required by condition No. 4 of the closure permit.
- 2. The signature for Sherex Chemical Co. on the closure certification statement does not meet the requirements of 35 Ill. Adm. Code 702.126 as required by condition No. 1 of the closure permit.
- 3. The sampling method for the wash water and the rinse water was not included with the closure certification document as required by condition No. 1e of the closure permit.
- 4. Rinse water and wash water were not sampled according to SW-846 as required in Section III of the closure plan.

5. No revised financial assurance documents were included with your closure certification document as required by condition No. 6 of the closure permit.

Closure certification for this facility will not be approved by the Agency until all requirements of the approved closure plan are met. Certification documents meeting these requirements must be received by the DLPC Permit Section in Springfield by no later than February 1, 1991. The attached certification form must be used. If, instead, you wish to pursue a closure plan modification, such a modification request must be submitted to the DLPC Permit Section by no later than February 1, 1992.

Should you have questions regarding this matter, please contact James Jones at 309/693-5462.

Sincerely,

Glenn D. Savage, Manager Field Operations Section

Division of Land Pollution Control

GDS:JJJ:sjd

ATTACHMENT

cc: Peoria Region
Division File

USEPA Region V - George Hamper

Mark R. Zimmerman, P.E.

Andy Vollmer

Planning and Reporting Section

Permit Section

Enforcement Section

ATTACHMENT

This statement is to be completed by both the responsible officer and by the registered professional engineer upon completion of closure. Submit one copy of the certification with original signatures and three additional copies.

Closure Certification Statement

Closure Log C-572

The hazardous waste management SO1 Unit, at the facility described in this document has been closed in accordance with the specifications in the approved closure plan. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

USEPA ID Number	Facility Name
Signature of Owner/Operator	Name and Title
Signature of Registered P.E.	Name of Registered P.E. and Illinois Registration Number

Date

Witco

Tode

Witco Corporation U.S. Route 24 P.O. Box 9 Mapleton, IL 61547 (309) 697-6220 (309) 697-9493 Fax

January 17, 1997

UPS Delivery

Illinois Environmental Protection Agency Bureau of Land--#33 Permit Section 2200 Churchill Road Springfield, Illinois 62794-9276

RE. Sherex Chemical Co., Inc. - Mapleton Plant Drum (S01) Storage Areas #1 and #2 USEPA #ILD095792859 Illinois LPC #1438050006 IEPA Log #C-751 Closure Report



Dear Sir/Madam:

Enclosed please find three (3) original copies of the Closure Report for the above referenced former drum storage areas at the Mapleton, Illinois facility. Also enclosed is the document, LPC-PA18 completed with the information required to make the submittal to the Agency.

Should you have any questions about this submittal, please contact me at 309/697-6220, Ext. 322.

Sincerely,

Serin R. Rao, P.E

Manager

Safety, Health, and Environmental Affairs

SRR:ksw g:closure

Enclosures

cc: BodineEnvironmental Services, Inc.









RCRA INTERIM STATUS CLOSURE AND POST-CLOSURE CARE PLANS GENERAL FORM LPC-PA18

THIS FORM MUST ACCOMPANY ANY RCRA INTERIM-STATUS CLOSURE AND/OR POST-CLOSURE CARE PLANS OR MODIFICATION REQUEST SUBMITTED TO THE DIVISION OF LAND POLLUTION CONTROL. THE ORIGINAL AND TWO COPIES OF ALL DOCUMENTS SUBMITTED MUST BE PROVIDED.

FACILITY IDENTIFICATION (Information about the facility where the units are located which are											
addressed in this closure plan)	.,	. , ,									
Name: Sherex Chemical Co.,	Inc.	County:	Peoria								
Street Address: U.S. Route 24		Site # (II	EPA): 1 4	3 8 0 5	0 0 0 6						
city: Mapleton		site No. (USEPA): I L D 0 9 5 7 9 2 8 5 9									
OWNER INFORMATION	T			ATOR INFORMAT	TION						
Name: Sherex Chemical Co.,			Same								
(A wholly owned subsidiary Mailing U.S. Route 24	of Witco	Corp.)		Parties of the second	Con the second						
P.O. Box 9	,				997						
Mapleton, IL 61547		·		/A(/	N S I so						
Contact Name: Serin Rao. P.E.	, DEE	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	***	The State of the second						
Contact Title: Mgr. Safety, Hea	alth & En	vironmen	tal Affai	re	A CONTRACTOR OF THE PARTY OF TH						
(200) CO7 C220 T-+		VIIOIMEII	car Arrar	<u> </u>							
Phone #: (309) 697-6220 EXT	. 322	•									
TYPE OF SUBMISSION (check applicab	le item and	provide r	equested in	formation, as	s applicable)						
Original (New) Closure Plan	N1 -	log No Approv	. of Most R al/Disappro	ecent Agency val Letter <u>C</u>	<u>-751 (PCB9</u> 1-202)						
Original (New) Post-Closure Response to Disapproval lette											
Modification Request					ec. 12, 1995						
Additional Information for	/	_ /	Submittal (Log No	if known)						
DESCRIPTION OF SUBMITTAL: (brieft	y describe	what is be	ing submitt	ed)							
Closure Report (final) for	two S 01	units									
		'		· · · · · · · · · · · · · · · · · · ·	er e						
LIST OF DOCUMENTS SUBMITTED (ident	ify all doc	uments in	this submit	tal, includir	ng the cover letter)						
Cover letter from Sherex Che	emical Co	., Inc./	Witco								
LPC-PA18 Form		,									
(3) Copies in 3 ring binder	s of Fina	l Closur	e Reports	s(s)							
UNITS UNDERGOING CLOSURE (please is capacities and whether they are on	dentify wha the RCRA P	t type of art A for	units are a the facilit	ddressed in 1 y)	the plan, their						
N. i.s.	Unit		er of		On Part A						
<u>Uni t</u>	<u>Code</u>	<u>Units</u>	Closing	Capacity	<u>(Y/N)</u>						
Storage:	c01	2		10,585 Gal	.s Y						
Container (barrel, drum, etc.) Tank	S01 S02	-	 								
Waste Pile	s03										
Surface Impoundment	s 04		<u></u> -								